





ZirChrom®

Technical
Bulletin #236



... For Peak Performance

Separation of Beta-Blockers



LC Conditions

Column: **DIAMOND BOND™18**, 100 × 4.6 mm

Mobile Phase: 20/20/60 A/B/C

A: ACN

B: THF

C: 20 mM Ammonium phosphate, pH 11.0

Flow rate: 1.0 mL/min.

Temperature: 75 °C

Injection volume: 5 µL

Detection: 254 nm

